

EC DECLARATION OF CONFORMITY

Manufacturer: AKTAV AKUSTİK MLZ. SAN. VE TİC. A.Ş.

Address: ZEYTİNLİ MAH. TURHAN CEMAL BERİKER BLV. NO:607/A
SEYHAN ADANA / TURKEY

Plant : Mersin Yolu Üzeri 15.Km Bossa 5 Yanı ADANA / TURKEY

We hereby declare that the products determined below meet the requirements of 89/106/EEC Construction Products Directive and Annex ZA of EN 13964 Suspended Ceilings – Requirements and test methods.

PRODUCT: PARMEPHON POLO-ADVANCE ACOUSTIC CEILING TILES
Suspended ceilings used for interior applicants in general building and civil engineering structures.

PRODUCT IDENTIFICATION:

***LAYER 1:** 0,4 mm-thick glasswool fleece with a 60Kg/m² superficial density and transparent colour.

***LAYER 2 :** 40 mm-thick glasswool with a 95 Kg/m³ density and yellow colour.

***LAYER 3 :** 0,4 mm-thick glasswool tissue with a 80 Kg/m² superficial density and transparent colour.

Reaction to fire	: Euroclass A2 s1 d0 (ceiling tiles) Euroclass A1 (substructure kit)
Resistance to fire	: NPD
Flexural tensile strength	: Class 1/B/no load
Load bearing capacity	: 1400 N (working load) 2300 N (breaking load)
Direct airborne sound insulation	: NPD
Sound absorption	: 0,85-0,90
Thermal conductivity	: NPD
Durability	: Class 2a corrosion protection acc. To EN 1396

Authorised Representative